

ASKING FOR ASSISTANCE

Technical Support:

Telephone (818) 884-6294
(800) 545-6900

Fax (818) 884-3108

Technical Support Hours:

9:00 AM to 5:00 PM Monday thru Friday.

Write To:

Gefen Inc.
C/O Customer Service
6265 Variel Ave.
Woodland Hills, CA 91367-9897

Notice

Gefen Inc. reserves the right to make changes in the hardware, packaging and any accompanying documentation without prior written notice.

The Audio Extender is a trademark of Gefen Inc.

TABLE OF CONTENTS

- 1 Introduction
- 2 Box Contents
- 3 Operation Notes
- 4 How to Connect the Audio Extender
- 5 Link Cable - Wiring Diagram
- 6 System Specifications
- 7 Warranty

INTRODUCTION

Thank you for purchasing the new ex•tend•it Audio Extender series.

Gefen's line of KVM (Keyboard Video & Mouse), ADC, DVI, USB, switches, extenders, converters and splitters is designed to make computer use more comfortable, more productive and less expensive.

KVM switches allow access to multiple computers from a single keyboard, while the extenders give the user control over a computer up to 330 feet away from the work area.

The ex•tend•it line offers solutions for noise, space and security concerns, data center control, information distribution, conference room presentation, and school and corporate training environments.

How it works

The ex•tend•it Audio extender allows Audio devices to be extended up to 1000 feet using CAT-5 cables. The Audio extender send unit is connected directly to the source with the supplied Audio cable. A CAT-5 cable is used to connect the Audio extender send unit to the Audio extender receive unit.

FEATURES

Features:

- Extends Audio up to 1000 feet
- CAT5 cables used for extension
- Installs in seconds

Includes:

- (1) Audio Extender S/R
- (1) 5 VDC power supply
- (1) 6ft Audio Cable
- (1) User Manual

OPERATION NOTES

READ THESE NOTES BEFORE INSTALLING OR OPERATING THE AUDIO EXTENDER SYSTEM

- * Industry standard Category-5 (CAT-5) cables are used to link the Audio Extender sender and receiver boxes together.
- * The Audio Extender units are housed in a metal box for better RF shielding.


HOW TO CONNECT THE Audio EXTENDER



How to Connect the Audio Extender

- 1- Connect the supplied Audio cables from the source Audio port into the Audio extender send unit.
- 2- Connect the CAT5 cable from the send unit to the receive unit.
- 3- Connect your Audio devices into the Audio extender receiver unit.
- 4- Plug the 5 volt power supply into the Audio extender send unit.

LINK CABLE - WIRING DIAGRAM



SPECIFICATIONS

Sample Rate 5kHz - 48kHz
Frequency Response 20Hz - 20kHz
Input/Output mini-phone stereo 3.5mm
Power Consumption 15 Watts (max)
Power Supply 5 VDC (External)
Dimensions 1 1/4"H x 1 1/2"W x 2.75"D
Weight 3 lbs

WARRANTY

Gefen Inc. warrants the equipment it manufactures to be free from defects in material and workmanship.

If equipment fails because of such defects and Gefen Inc. is notified within one (1) year from the date of shipment, Gefen Inc. will, at its option, repair or replace the equipment, provided that the equipment has not been subjected to mechanical, electrical, or other abuse or modifications.

Equipment that fails under conditions other than those covered will be repaired at the current price of parts and labor in effect at the of repair. Such repairs are warranted for ninety (90) days from the day of reshipment to the Buyer.

This warranty is in lieu of all other warranties expressed or implied, including without limitation, any implied warranty or merchantability or fitness for any particular purpose, all of which are expressly disclaimed.

The information in this manual has been carefully checked and is believed to be accurate. However, Gefen Inc. assumes no responsibility for any inaccuracies that may be contained in this manual. In no event will Gefen Inc., be liable for direct, indirect, special, incidental, or consequential damages resulting from any defect or omission in this manual, even if advised of the possibility of such damages. The technical information contained herein regarding Audio Extender features and specifications is subject to change without notice.